

Assembly Instructions For TT-Scale GMC CCKW 2 ½ ton Tanker Truck



www.eaelec.com

Made in Canada
Decals Printed in the USA

Introduced in April 1943 the canvas covered cab version of the CCKW military truck replaced the earlier metal closed cab type. Over 155,000 of these trucks were produced. This kit is the fuel tanker version of the CCKW. This model is available with or without the winch mounted behind the front bumper.

Parts Included in the kit:

- A. 3D printed chassis
- B. 3D printed cab
- C. 3D printed tanker bed
- D. One decal sheet

Required to complete the kit:

Paint - Flat black, flat steel, canvas, glosscoat, dullcoat and flat army olive (Testors 1165 or Tamiya XF49)
Glue - Slow setting CA is best.


Tools Required:

1. X-acto knife with a sharp #11 blade.
2. #400 and #600 sandpaper.



WARNING: CHOKING HAZARD
Keep out of reach of small children!

Note that these ARE NOT TOYS, AND ARE NOT INTENDED FOR USE BY CHILDREN UNDER AGE OF 14. These products are model railroad equipment and accessories intended for use by adults.

Parts in the Kit:





The 3D printing process requires a supporting frame during printing, see below left. The printed part is cut from the frame using flush cutters and this sometimes leaves small bumps on the part. Use a knife with a sharp new blade to cut away the bumps. When trimming bumps off the wheels you should place the wheel on a flat surface as shown below on the right. Putting too much stress on the wheel can cause the axle to break. For bumps on the cab body, sanding is recommended.




Painting Guide for the Chassis

After cleaning up the bumps, paint the chassis flat black. Once this has dried paint the wheel hubs, fuel tank, etc., as shown below.



Painting Guide for the Cab & Bed


Paint the cab, the tanker bed and the two fuel tanks as shown below. Apply a coat of gloss to the cab, let dry and then place the decals as shown on the guide. After the decals are completely dry, apply dullcoat to the cab.




Final Assembly

When everything is dry, assemble the truck as shown below using CA glue.


Step 1 - assemble the tanker bed:



Step 2 - glue cab to chassis



Step 3 - glue tank assembly to chassis



Assembly completed

